



Roll up line

Plana is an innovative design flyscreen expecially designed for wide doors.

Very easy to install and dismantle, Plana guarantees the neatness of both the passage and the screen as the absence of lower guide facilitate transit.

Available in one shutter or two shutters with central ma gnetic closure.

Plana reversible version (by request) can be opened by both sides.

Roll up from:





Dimensions must be communicated width x height in mm clearly stating if it is finished measure of the flyscreen or if it is the opening measure (door or window).

✓ Finished measure: the flyscreen will be supplied with the given sizes

✓ Window opening: the flyscreen will be supplied 3 mm less than the given size.

suggested size (mm)		W	Н
1 shutter	min.	-	1500
	max.	1400	2600
2 shutters	min.	-	1500
	max.	2800	2600

#### do it yourself



2 shutters horizontal section

Plana 50 embedding kit facilitate the positioning of the fly e screen on french doors and windows matching Unika and Perlegno windows. Overall dimension 50 mm





78

60

Plana embedding + rolling shutter 78 facilitate the use of Plana matching the windows with monobloc 50 mm

Overall size 78 mm



Kontakt, tel +48 34 322 34 54

For fixing on uneven jambs it is suggestable the utilisation of the lateral wall compensating profile, also closing any remaining space by silicone. It is a solution which allow a rapid unfasten of the flyscreen.







Uneven jambs fixing

# No barrier on the floor



	PLANA	minimum to invoice 1 sh. 2,00 sqm / 2 sh. 4,00 sqm	€ 99,50 sqm
Optional	Lateral wall compensating		€20,38 pc
	Kit Plana embedding 50		€ 32,52 pc
	Kit Plana + rolling sh.guide 78		€71,91 pc
	PLANA REVERSIBILE	minimum to invoice 1 sh. 2,00 sqm	€ 105,00 sqm



Roll up line

Lateral Jumbo is a roll up horizontal flyscreen spring operated.

Available with 32-40-54 mm case.

Suitable for any french door and supplied with the following accessories:

- 23mm lower guide profile

- Sliding wheel on the handle bar to facilitate the rolling of the mesh

- Double handle, fixed inside and articulated on the external side.

#### Optional:

- Security brush

- "Adagio" brake for spring





suggested size (mm)		W	Н
1 shutter 32	min.	-	1500
	max.	1200	2300
1 shutter 40 - 45	min.	-	1500
	max.	1400	2600
2 shutters 32	min.	-	1500
	max.	2400	2300
2 shutters 40 - 45	min.	-	1500
	max.	2800	2600



#### do it yourself



Roll up line

Built-in flyscreen lateral operation with 45-50mm case available cut to size or in 6 meters bars

Optional:

- "Adagio" brake for spring
- Black & White mesh





Dimensions must be communicated Width X Height in mm clearly stating if it is finished measure of the flyscreen or if it is the opening measure

✓ Window opening: Unika 50 flyscreen supplied with the given sizes plus: width +87mm x height + 40 mm;

Unika 45: width +82mm x height + 40mm

✓ Finished size: the flyscreen will be supplied with the given size (maximum overall size)

suggeste	d size (mm)	W	Н
1 shutter	min.	-	-
	max.	1400	2600
2 shutters	min.	-	-
	max	2800	2600

### reducible - do it yourself - kit



Kontakt, tel +48 34 322 34 54

#### **STANDARD**



MARBLE any series + 10%

SUBLIMATE

any series + 40% america + 50%

NATURALL

any series + 40% america + 50%

plissè

+ 30%

plissè

+ 30%



# COLOURS